

## Fukushima: Uranium and Plutonium Contamination of Large Areas of Oceans, Ground-water, Soils.

By [Edmondo Burr](#)

Asia-Pacific Research, March 29, 2015

[Your News Wire](#)

*Scientists have raised concern over the rate of radioactive contamination of the Pacific, due to the Fukushima nuclear accident.*

- Expert : Plutonium-241 from Fukushima nearly 70,000 times more than atomic bomb fallout in Japan.
- Officials : Molten fuel now 'particle-like', contains 'special' nuclear materials.
- Gov't Labs : Large areas of oceans contaminated by plutonium from events such as Fukushima; Build-up in biosphere expected; Considerable hazard to humans.

[Energy News](#) statement :

Detection of long-lived plutonium isotopes in environmental samples by Accelerator Mass Spectrometry (AMS) — **Plutonium** isotopes  $^{239}\text{Pu}$ ,  $^{240}\text{Pu}$  and  $^{242}\text{Pu}$  are anthropogenic radionuclides **emitted into the environment** by nuclear activities. Pu is accumulated in the human body and hence, **poses a considerable hazard to human health**. Due to the long half-lives, these isotopes are **present in the biosphere on large time scales** and a **build-up can be expected**. Therefore it is important to study the contamination pathway of Pu into the drinking water... a method to detect long-lived Pu isotopes by Accelerator Mass Spectrometry (AMS) is being developed. AMS requires only few milligrams of sample material... Consequently, more samples from different locations can be taken which is **essential when searching for locally increased Pu concentrations as in the Pacific Ocean after the Fukushima accident**... Samples from different locations in the Pacific Ocean and from the snow-hydrosphere are planned...

[Statement](#) by: Taeko Shinonaga, head of Radioanalytical Laboratory at Helmholtz Zentrum Munchen (research institution founded jointly by Germany's Federal Ministry of Education & Research and Bavaria's Finance Ministry), scientists from Technische Universitat Munchen (Germany), *Verhandlungen der Deutschen Physikalischen Gesellschaft 2013 meeting (emphasis added)*

[Presentation](#) by: Taeko Shinonaga, head of Helmholtz radioanalytical lab (pdf), Nov 2014: Comparison of activity between [nuclear bomb testing] fallout Pu particle and Fukushima origin Pu particle:

Global Fallout Pu in Japan [GF] 

- > Pu240: 1,360 Bq
- > Pu241: 645 Bq
- > Total: 208,005 Bq

Fukushima Pu found in our study

- > Pu240: 197,000 Bq [145 times GF]
- > Pu241: 43,700,000 Bq [67,752 times GF]
- > Total: 44,061,000 Bq [212 times GF]

Scientists from [Lawrence Berkeley National Lab and Univ. of Notre Dame](#), 2014: Interstitial incorporation of plutonium into a low-dimensional potassium borate...

[E]vents such as the catastrophe at the Fukushima Daiichi nuclear plant in Japan [have] resulted in the **contamination of large areas of oceans, ground-water, soils, and sediments by actinides, such as uranium and plutonium**... migration of actinides [is] an important environmental concern... Knowledge of the incorporation mechanisms of actinides into... natural materials is therefore required... for predicting the migration of radionuclides...

[European Commission Joint Research Centre](#) (pdf), 2014:

[The Joint Research Centre] is studying emerging safety issues...examining mixed oxide (MOX) properties [and] preparing further severe accident studies on specific aspects of the Fukushima accident [such as] off-vessel fuel-concrete interactions... Japanese Atomic Energy Agency (JAEA) selected a JRC-developed method as one of the most suitable approaches to characterise [Fukushima's] molten fuel... This characterisation is an international obligation during the decommissioning phase, according to IAEA safeguards. Japanese researchers are now developing and optimising the methodology to quantify **special nuclear materials in particle-like debris of the molten reactor fuel**.

The original source of this article is [Your News Wire](#)  
Copyright © [Edmondo Burr](#), [Your News Wire](#), 2015

---

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Edmondo Burr](#)

**Disclaimer:** The contents of this article are of sole responsibility of the author(s). Asia-Pacific Research will not be responsible for any inaccurate or incorrect statement in this article. Asia-Pacific Research grants permission to cross-post Asia-Pacific Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Asia-Pacific Research article. For publication of Asia-Pacific Research articles in print or other forms including commercial internet sites, contact: [editors@asia-pacificresearch.com](mailto:editors@asia-pacificresearch.com)

[www.asia-pacificresearch.com](http://www.asia-pacificresearch.com) contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to

those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: [editors@asia-pacificresearch.com](mailto:editors@asia-pacificresearch.com)